



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/690,817

10/23/2003

Yoshitaka Mishima

2038-303

5433

22429

7590

03/27/2008

LOWE HAUPTMAN HAM & BERNER, LLP
1700 DIAGONAL ROAD
SUITE 300
ALEXANDRIA, VA 22314

EXAMINER

ANDERSON, CATHARINE L

ART UNIT

PAPER NUMBER

3761

MAIL DATE

DELIVERY MODE

03/27/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/690,817	Applicant(s) MISHIMA ET AL.	
	Examiner Lynne Anderson	Art Unit 3761	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 February 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,2,4-10,14,15,18-21 and 23-26 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,2,4-10,14,15,18-21 and 23-26 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 19 February 2008 has been entered.

Response to Arguments

2. Applicant's arguments with respect to claims 1-2, 4-15, 18-21, and 23-26 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 14-15, 18-21, 23-24, and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lovret (3,532,093) in view of Allen et al. (6,168,584), and further in view of Johnson (3,858,584).

5. Lovret discloses all aspects of the claimed invention with the exception of the discharge containing portion containing absorbent material and being exposed to the outside of the wearable article.

6. With respect to claims 14 and 20, Lovret discloses a disposable wearing article 10, as shown in figure 1, comprising a holder member 15 having a front waist region 13 a rear waist region 14, and a crotch portion 12. The holder member 15 has an upper surface and a lower surface, and a through-hole 40, as shown in figure 2. A receiving member comprises an annular portion 41 located on the upper surface of holder member 15. The receiving member further comprises a discharge containing portion 50, shown in figure 6, which is positioned below the lower surface of holder member 15 in compartment 16, as shown in figure 2.

7. Allen teaches the use of absorbent material in the discharge receiving portion of a disposable wearing article, as shown in figure 4, to absorb the liquid in the receiving portion. The absorbent material 26U is bonded directly to the top wall of the discharge receiving portion around the opening, and is spaced apart from the bottom wall, as shown in figure 4. It would therefore be obvious to one of ordinary skill in the art at the time of invention to provide the receiving portion of Lovret with absorbent material, as taught by Allen, to absorb liquid.

8. Johnson teaches a wearable article having a discharge containing portion 22, as shown in figure 3. The discharge containing portion 22 is exposed to the outside of the wearable article, as shown in figure 3, to allow for removal and replacement of the discharge containing portion, as disclosed in column 2, lines 6-8. It would therefore be obvious to one of ordinary skill in the art at the time of invention to provide the wearable article of Lovret with a discharge containing portion that is exposed to the outside of the

article, as taught by Johnson, to allow for removal and replacement of the discharge containing portion.

9. With respect to claims 15 and 21, the discharge containment portion 50 is liquid impervious, as disclosed in column 3, lines 38-40, and enlargeable under the weight of discharge, as disclosed in column 3, lines 64-67.

10. With respect to claim 18, the annular portion 41 extends upwardly from the upper side of the top wall 51, as shown in figure 2.

11. With respect to claims 19 and 23, the annular portion 41 comprises a flexible and elastically compressible material, as disclosed in column 3, lines 35-37 and 3-15. The annular portion 41 has a height greater than the edge portion of the compartment 16 containing the discharge containing portion, as shown in figure 2.

12. With respect to claims 24 and 26, it would have been obvious to one of ordinary skill in the art at the time of invention to construct the discharge containing portion with gathers rather than an elastically stretchable material, since the use of gathers is well-known in the art to provide a pouch with gathers to allow the pouch to expand rather than use an elastically stretchable material.

13. Claims 1-2, 4-10, and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lovret (3,532,093) in view of Allen et al. (6,168,584) and Johnson (3,858,584), and further in view of Tsuji et al. (6,808,516).

14. Lovret, as modified by Allen and Jonson, discloses all aspects of the claimed invention with the exception of the discharge containing portion containing absorbent material and the holder member having an X-shaped sheet.

15. With respect to claim 1, Lovret discloses a disposable wearing article 10, as shown in figure 1, comprising a holder member 15 having a front waist region 13 a rear waist region 14, and a crotch portion 12. The holder member 15 has an upper surface and a lower surface, and a through-hole 40, as shown in figure 2. A receiving member comprises an annular portion 41 located on the upper surface of holder member 15. The receiving member further comprises a discharge containing portion 50, shown in figure 6, which is positioned below the lower surface of holder member 15 in compartment 16, as shown in figure 2.

16. Allen teaches the use of absorbent material in the discharge receiving portion of a disposable wearing article, as shown in figure 4, to absorb the liquid in the receiving portion. The absorbent material 26U is bonded directly to the top wall of the discharge receiving portion around the opening, and is spaced apart from the bottom wall, as shown in figure 4. It would therefore be obvious to one of ordinary skill in the art at the time of invention to provide the receiving portion of Lovret with absorbent material, as taught by Allen, to absorb liquid.

17. Johnson teaches a wearable article having a discharge containing portion 22, as shown in figure 3. The discharge containing portion 22 is exposed to the outside of the wearable article, as shown in figure 3, to allow for removal and replacement of the discharge containing portion, as disclosed in column 2, lines 6-8. It would therefore be

Art Unit: 3761

obvious to one of ordinary skill in the art at the time of invention to provide the wearable article of Lovret with a discharge containing portion that is exposed to the outside of the article, as taught by Johnson, to allow for removal and replacement of the discharge containing portion.

18. Tsuji teaches the use of a high elasticity segment 20 having an X-shape attached to a holder member 3 and 4, as shown in figure 5, to provide the article with a more secure, leak-proof fit, as disclosed in column 1, line 45, to column 2, line 8. It would therefore be obvious to one of ordinary skill in the art at the time of invention to provide the article of Lovret with the holder member having a high-elasticity segment of Tsuji to provide a more secure, leak-proof fit.

19. With respect to claim 2, the front and rear waist regions 13 and 14 are releasably engaged by fasteners 21, as shown in figure 1.

20. With respect to claim 4, the annular portion 41 comprises flexible and elastically compressible foamed plastic, as disclosed in column 3, lines 35-37 and 3-15.

21. With respect to claim 5, the discharge containment portion 50 is liquid impervious, as disclosed in column 3, lines 38-40, and enlargeable under the weight of discharge, as disclosed in column 3, lines 64-67.

22. With respect to claim 6, the holder member is fully capable of being washed and reused.

23. With respect to claims 7-10, the holder member, as modified by Tsuji, comprises a topsheet 3, a backsheet 4, and an X-shaped elastically stretchable sheet 20, as

Art Unit: 3761

shown in figure 5. The X-shaped sheet 20 is bonded between the topsheet and backsheet, as disclosed by Tsuji in column 7, lines 20-24.

24. With respect to claim 25, it would have been obvious to one of ordinary skill in the art at the time of invention to construct the discharge containing portion with gathers rather than an elastically stretchable material, since the use of gathers is well-known in the art to provide a pouch with gathers to allow the pouch to expand rather than use an elastically stretchable material.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lynne Anderson whose telephone number is (571)272-4932. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tanya Zalukaeva can be reached on (571) 272-1115. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3761

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

cla

/L. A./

Examiner, Art Unit 3761

/Tatyana Zalukaeva/

Supervisory Patent Examiner, Art Unit 3761